## **BODY SCULPTING CENTER**

Signature

2255 N. Scottsdale Road, Scottsdale, Arizona 85257

(480) 464-8000 or (480) 526-3750

## **GENERAL AND LOCAL ANESTHESIA DISCHARGE INSTRUCTIONS FOR THE NEXT 24 HOURS**

Patient Name:		Today's Date :
Patient No.:		Surgery Date:
PROCEDURES:		Surgeon Name:
	After receiving anesthesia, you may be sleepy for the next 12-24 hours. You are advised to go directly home and rest or sleep. You may have a pain pill at the first sign of pain. Be sure to eat first.	
	For the next 24 hours: do not drive, operate machinery or anything else that requires concentration or any precision work. Do not use alcohol or drugs other than those prescribed by your doctor.	
	You may start with fluids and increase diet today as tolerated. Avoid plain water day of surgery. You may resume water day after surgery. Do not eat or drink while laying flat in bed to avoid choking.	
	Now that surgery has been accomplished, it is very <i>imp</i> breathing functions stay at their optimum. Often after because of perceived discomfort. If your lungs are not execretions are not expectorated out, then complication once per hour (waking hours) periodically after surgery. You may be a surgery of the surgery of th	surgery, patients are afraid to breathe normally expanding fully, and the commonly produced as such as pneumonia can occur. <i>Deep breathe and cough</i>
	Office Phone #:	
	If you should have any complications, please notify your physician. If unable to reach him, contact the emergency room at HonorHealth Osborn (480) 882-4000.	
	FOLLOW-UP APPOINTMENT:  MEDICATION PRESCRIBED:	
	Cephalexin (antibiotic) Start at:  Flexeril (muscle relaxer) 1 every 8 hours. Space 2 hours from pain pill.	
_	Percocet (pain) 1 or 2 every 6 hours	
Breast augmentation patients: You may shower on You may remove fluffy bandage to shower. Replace bra only, and leave white tape in place.		You may remove ace bandage, bra, and white hite tape in place.
	Liposuction patients: leave garment on until appointme	ent in office unless otherwise instructed.
	Tummy tuck patients: keep drain bulbs less than 3/4 full and depressed. Resume Colace day of surgery.	
	Blepharoplasty patients: chilled saline compress to eyes 2 times a day.	s x 24 hours while awake. Apply eye ointment or drops
	Walk every two (2) hours while awake.	
	Special instructions: If you have not had a bowel mover constipation is relieved.	ment in 48 hours, start milk of magnesia 2x per day until
	Special Instructions:	
	Instructions have been explained to me and I have rece	eived a copy.
	Prescription medication side effects/adverse reaction w	• •
_	·	• •

White Copy - Patient

Yellow Copy - Record